



If you liked our service, please tell a friend. If you didn't, please tell us!

40 W Louise Ave, Salt Lake City, UT 84115
2874 S 300 West, Salt Lake City, UT 84115
Phone: (801) 485-1800 Fax: (801) 484-9211
Email: UTLab@advancedlabsinc.com
FDA Registration #14353128308

Test Certificate

Description: Xilerate Fruit Punch
Sample ID: FP25339
Lot No:
Location:
Received: 12/17/2025
Completed: 12/22/2025

Client: Tab-hq
426 E 1750 N
Unit B
Vineyard, UT 84059

Lab No: 287512-01

Analysis	Result	Per Unit	Method
Total Aerobic Microbial Count	150	CFU/g	USP <61>
Coliform	<10	CFU/g	AOAC 991.14
E. coli	Absent	per 10 grams	USP <62>
Staphylococcus aureus	Absent	per 10 grams	USP <62>
Pseudomonas aeruginosa	Absent	per 10 grams	USP <62>
Salmonella spp.	Absent	per 10 grams	USP <62>
Total Yeast & Mold Count	<10	CFU/g	AOAC 2014.05
Yeast *	<10	CFU/g	AOAC 2014.05
Mold *	<10	CFU/g	AOAC 2014.05

*For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:

Solomon Jensen-UT Operations Manager

Dated:

12/22/2025

Printed: 12/22/2025 10:19:13 AM

